

Nuclear Medicine Technologist Scope of Practice and Performance Standards

**Prepared by: Society of Nuclear Medicine and
Molecular Imaging Technologist Section
Approved: June 6, 2014**

1
2
3 **Overview of Document**

4 This document includes the Scope of Practice and the Performance Standards for health care
5 professionals that, for the purposes of this document, will be referred to as a nuclear medicine
6 technologist.

7 The spectrum of responsibilities for a nuclear medicine technologist varies widely across the
8 United States. Practice components presented in this document provide a basis for establishing
9 the areas of knowledge and performance for the nuclear medicine technologist. The nuclear
10 medicine technologist must be in compliance with all federal, state, and institutional guidelines,
11 including proper documentation of initial and continued competency in those practices and
12 activities.

13
14 Continuing education is a necessary component in maintaining the skills required to perform all
15 duties and tasks of the nuclear medicine technologist in this ever-evolving field.

16
17 **Limitation of Scope and Disclaimer**

18
19 This document is intended to set forth the standards in important areas of the nuclear medicine
20 technologist's responsibilities. It may not cover all areas which may present themselves in actual
21 practice. These standards do not supersede the judgment of the individual nuclear medicine
22 technologist and other healthcare professionals serving the patient in light of all of the facts of
23 the individual case. THE SOCIETY OF NUCLEAR MEDICINE AND MOLECULAR
24 IMAGING AND THE SOCIETY OF NUCLEAR MEDICINE AND MOLECULAR IMAGING
25 TECHNOLOGIST SECTION DISCLAIM ALL LIABILITY ARISING FROM USE OF THESE
26 DOCUMENTS.

27
28 **Overview**

29
30 Nuclear medicine is a medical technology that utilizes sealed and unsealed radioactive materials
31 for diagnostic, treatment, and research purposes. Nuclear medicine instrumentation may be
32 combined with, computed tomography (CT), magnetic resonance imaging (MRI), or other
33 modalities to generate attenuation correction and produce three-dimensional images with or
34 without contrast (imaging medications) to enhance the evaluation of physiological processes at a
35 molecular level.

36
37 **Technologist Qualified to Perform Nuclear Medicine Procedures**

38
39 Under the direction of an authorized user, the nuclear medicine technologist is responsible for
40 the safe use of ionizing and nonionizing radiation and molecular imaging for diagnostic,
41 therapeutic, and research purposes. The technologist will review the patient's medical history to
42 understand the patient's illness, medical issue, and pending diagnostic or treatment procedure;
43 instruct the patient before, during, and following the procedure; evaluate the satisfactory
44 preparation of the patient before beginning a procedure; and recognize emergency patient
45 conditions and initiate lifesaving first aid when appropriate.

46
47

48 Administrative functions may include supervising other technologists, students, and other
49 personnel; participating in procuring supplies and equipment; documenting laboratory
50 operations; participating in radiation safety protocols and taking an active role in radiation
51 reduction programs; participating in departmental inspections conducted by various licensing,
52 regulatory, and accrediting agencies; participating in departmental quality assurance or quality
53 improvement projects; and participating in scheduling patient procedures.

54
55 A certified nuclear medicine technologist is qualified to perform general nuclear medicine
56 procedures, nuclear medicine therapy, nuclear cardiology procedures, nuclear breast procedures
57 and positron emission tomography (PET) procedures at entry level. The certified nuclear
58 medicine technologist is an individual who is registered or certified by the *Nuclear Medicine*
59 *Technology Certification Board* (NMTCB) or the *American Registry of Radiologic Technologists*
60 (ARRT) in nuclear medicine technology or is a registered technologist with the Canadian
61 Association of Medical Radiation Technologists (CAMRT).

62
63 **Education:**

64 Nuclear Medicine Technologists may complete a one- or two- year certificate program, a two-
65 year associate's degree, or a four-year bachelor's degree. Didactic courses include but are not
66 limited to the physical sciences, biological effects of radiation exposure, radiation protection and
67 procedures, the use of radiopharmaceuticals, adjunctive medications, imaging medication,
68 imaging techniques, and computer applications. A structured clinical education component
69 provides experience in the clinical environment. Clinical education is designed to meet the
70 requirements of the certification exams. Graduates of accredited programs are eligible to sit for
71 certification examinations offered by the NMTCB and ARRT.

72
73 The Joint Review Committee on Education Programs in Nuclear Medicine Technology accredits
74 training programs in nuclear medicine technology.

75
76 **Licensure**

77 Requirements for licensure of all imaging technologists vary from state to state, so it is important
78 that technologists check the requirements of the state in which they plan to work.

79
80 **Certification**

81 Certification is available from the NMTCB, ARRT, and CAMRT.

82
83 **Continuing Education**

84 In addition to the general certification requirements, certified technologists also must complete a
85 certain number of continuing education hours to maintain certification. Continuing education is
86 required primarily because of the frequent technological and radiopharmaceutical innovations.

87

88

89 **Code of Ethics**

90 Technologists qualified to perform nuclear medicine procedures are members of the health care
91 profession and must strive as individuals and as a group to maintain the highest ethical standards
92 by adhering to the *Nuclear Medicine Technologist Code of Ethics* approved by the *Society of*
93 *Nuclear Medicine and Molecular Imaging Technologist Section (SNMMITS)*.

94

95 The principles of the *Nuclear Medicine Technologist Code of Ethics* as listed below are not laws,
96 but standards of conduct to be used as ethical guidelines by nuclear medicine technologists.

97

98 Principle 1

99 The nuclear medicine technologist will provide services with compassion and respect for
100 the dignity of the individual and with the intent to provide the highest quality of patient
101 care.

102

103 Principle 2

104 The nuclear medicine technologist will provide care without discrimination regarding the
105 nature of the illness or disease, gender, race, religion, sexual preference, or
106 socioeconomic status of the patient.

107

108 Principle 3

109 The nuclear medicine technologist will maintain strict patient confidentiality in
110 accordance with state and federal regulations.

111

112 Principle 4

113 The nuclear medicine technologist will comply with the laws, regulations, and policies
114 governing the practice of nuclear medicine.

115

116 Principle 5

117 The nuclear medicine technologist will continually strive to improve his or her
118 knowledge and technical skills.

119

120 Principle 6

121 The nuclear medicine technologist will not engage in fraud, deception, or criminal
122 activities.

123

124 Principle 7

125 The nuclear medicine technologist will be an advocate for his or her profession.

126

Definitions

127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171

Adjunctive Medication: Adjunctive medications are defined as those medications used to evoke a specific physiological or biochemical response used in conjunction with diagnostic imaging or therapeutic procedures.

ALARA: Acronym for **As Low As Reasonably Achievable**. This is a radiation safety principle for minimizing radiation doses and releasing of radioactive materials by employing all reasonable methods.

Authorized User: The NRC definition under 10 CFR Part 35.2 of an *Authorized User* can be found here: [://www.nrc.gov/reading-rm/doc-collections/cfr/part035/part035-0002.html](http://www.nrc.gov/reading-rm/doc-collections/cfr/part035/part035-0002.html)

Computed Tomography: A medical imaging technology that uses a computer to acquire a volume of x-ray–based images, generally reconstructed as two-dimensional (2D) or three-dimensional (3D) pictures of inside the body. These images can be rotated and viewed from any angle. Each CT image is effectively a single “slice” of anatomy.

Diagnostic Imaging: Diagnostic imaging uses technologies such as x-ray, CT, MR, ultrasound, traditional nuclear medicine, PET, and single-photon emission computed tomography (SPECT) to provide physicians with a way to look inside the body without surgery.

Diagnostic Nuclear Medicine: The use of very small amounts of radioactive materials (called radiopharmaceuticals or radiotracers) to evaluate molecular, metabolic, physiologic, and pathologic conditions of the body for the purposes of diagnosis and research. Nuclear medicine procedures often identify abnormalities very early in the progression of a disease.

Hybrid Imaging: The combination of two imaging technologies that allows information from two different studies to be presented as a single set of images.

Imaging Device: A technological apparatus used to produce detailed images of the inside of the body for diagnostic, therapeutic, or research purposes. Examples of these devices include the gamma camera, CT scanner, PET scanner, MR unit, optical imaging detector, and ultrasound machine.

Imaging Medication: A material such as oral and IV contrast used in the performance of imaging studies.

Isotope: Atoms of a single element that have differing masses. Isotopes are either stable or unstable (radioisotope). Radioisotopes are radioactive: they emit particulate (alpha, beta) or electromagnetic (gamma) radiation as they transform or decay into stable isotopes.

Magnetic Resonance Imaging: Magnetic resonance (MR) imaging is a diagnostic scan that uses high-strength magnetic fields and radio frequency transmission rather than radiation. MR imaging techniques are used primarily to study anatomy, but a special type of MR scan,

172 functional MR imaging (fMRI), can be used to map blood flow for functional studies.

173

174 **Molecular Imaging:** Molecular imaging is an array of non-invasive, diagnostic imaging
175 technologies that can create images of both physical and functional aspects of the living body at
176 a molecular level. Molecular imaging technologies include, but are not limited to, traditional
177 nuclear medicine, optical imaging, spectroscopy, PET, and SPECT.

178

179 **Nuclear Medicine Therapy:** The use of radioactive materials (called radiopharmaceuticals or
180 radiotracers) to treat disease processes.

181

182 **Positron Emission Tomography:** Positron emission tomography is a medical imaging
183 technology using radiopharmaceuticals emitting positrons which annihilate into two photons.
184 These photon pairs are detected by the PET scanner, where the location of the original positron
185 atom is extrapolated.

186

187 **Single Photon Computed Tomography:** SPECT imaging uses a gamma camera to acquire
188 multiple 2-D images () from multiple angles. Tomographic reconstruction algorithms are
189 applied to the multiple projections, yielding a 3-D dataset. This dataset may then be manipulated
190 to show thin slices along any chosen axis of the body, similar to those obtained from other
191 tomographic techniques, such as CT, PET and MRI.

192

193

194 **THE SCOPE OF PRACTICE**

195
196 The scope of practice in nuclear medicine technology includes, *but is not limited to*, the
197 following areas and responsibilities:

198
199 **Patient Care:** Requires the exercise of judgment to assess and respond to the patient's needs
200 before, during, and after diagnostic imaging and treatment procedures and in patient medication
201 reconciliation. This includes record keeping in accordance with the Health Insurance Portability
202 and Accountability Act (HIPAA).

203
204 **Instrumentation/Quality Control:**
205 Involves the operation of:

206
207 Nuclear medicine and PET imaging systems:
208 With or without sealed sources of radioactive materials, x-ray tubes, or MR systems for
209 attenuation correction, transmission imaging, or diagnostic CT or MR (when
210 appropriately trained and/or credentialed).

211
212 Non-imaging instrumentation:

- 213 Dose calibrators
- 214 Survey instrumentation for exposure and contamination
- 215 Probe and well instrumentation
- 216 Ancillary patient care equipment as authorized by institutional policies
- 217 Infusion systems
- 218 Radionuclide generators

219
220 Quality control:

221 The evaluation and maintenance of a quality control program for all instrumentation to
222 ensure optimal performance and stability.

223
224 **Diagnostic Procedures:** Requires the utilization of appropriate techniques,
225 radiopharmaceuticals, imaging medications and adjunctive medications as part of a standard
226 protocol to ensure quality diagnostic images and/or laboratory results. Obtains biological
227 samples to perform testing as required for the optimization of patient care and quality of
228 diagnostic procedures.

229
230 **Therapeutic Procedures:** Requires the utilization of appropriate techniques,
231 radiopharmaceuticals, and adjunctive medications as part of a standard protocol to ensure proper
232 treatment of the disease process. Obtains biological samples to perform testing as required for
233 the optimization of patient care.

234
235 **Adjunctive Medications:** Involves the identification, preparation, calculation, documentation,
236 administration, and monitoring of adjunctive medication(s) used during diagnostic imaging, or
237 therapeutic procedures. Adjunctive medications are defined as those medications used to evoke a
238 specific physiological or biochemical response.

239 **Imaging Medications:** Involves the identification, preparation, calculation, documentation,
240 administration, and monitoring of imaging medication(s) used during diagnostic imaging studies.
241 Imaging medications include but are not limited to oral and IV contrast.
242

243 **Radiopharmaceuticals:** Involves the safe handling and storage of radiopharmaceuticals. This
244 includes, but is not limited to, the procurement, identification, dose calculation, and
245 administration of radiopharmaceuticals. It also includes all associated documentation and
246 disposal as appropriate.
247

248 **Radiation Safety:** Involves practicing techniques that will minimize radiation exposure to the
249 patient, health care personnel, and general public, through consistently using protective devices,
250 shields, dose reduction, and monitors consistent with ALARA principles and establishing
251 protocols for managing spills and unplanned releases of radiation.
252

253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297

THE CLINICAL PERFORMANCE STANDARDS

The clinical performance standards for the nuclear medicine technologist include, *but are not limited to*, the following areas and responsibilities:

I. Patient Care

- A. A nuclear medicine technologist prepares the patient by:
 1. Verifying patient identification, date of last menstrual period, pregnancy/breastfeeding status (and alerting the authorized user if there are concerns about possible pregnancy), and written orders for the procedure.
 2. Assuring study appropriateness based on indication and patient symptoms. Consulting with the authorized user and/or referring physician whenever the request is called into question.
 3. Obtaining a pertinent medical history, including medications and allergies, and confirming the patient’s candidacy for the procedure.
 4. Ensuring that any pre-procedural preparation has been completed (e.g., fasting, diet, hydration, glucose levels, voiding, bowel cleansing, and suspension of interfering medications).
 5. Ensuring that informed consent has been obtained and witnessed, as prescribed by the institution, whenever necessary.
 6. Properly explaining the procedure to the patient and/or family and, where appropriate, to the parent and/or legal guardian, and when necessary, obtaining the assistance of an interpreter or translator. This includes, but is not limited to, patient involvement, length of study, radiation safety issues, and post-procedure instructions.
 7. Collecting specimens and performing pertinent laboratory procedures. Performing in vitro diagnostic testing laboratory analyses as required by established protocols. Additionally, performing in vitro diagnostic testing laboratory procedures to measure the biodistribution of radiopharmaceuticals.

- B. A nuclear medicine technologist provides patient care by:
 1. Verifying the patient ID according to institutional policy and verifying the appropriateness of the test being ordered.
 2. Assuring comfort and care to the patient prior to, during, and after a procedure. This includes, but is not limited to, the monitoring of intravenous lines (i.e., central lines, peripherally inserted central catheters [PICC]), oxygen supplies, and drains. This also includes the operation of blood pressure cuffs, electrocardiogram (ECG) machines, pulse oximeters, glucometers, intravenous pumps, and oxygen delivery regulators as authorized by institutional policies.
 3. Inserting and monitoring peripheral intravenous catheters.
 4. Monitoring patients who are under minimal sedation in accordance with the American Society of Anesthesiologists [ASA] guidelines for conscious sedation and per institutional guidelines and documenting during the monitoring period.
 5. Establishing and maintaining proper communication with patients (i.e., proper introduction, appropriate explanation of procedure, etc.).

- 298 6. Maintaining a professional demeanor at all times to assure the preservation of
299 patients' rights, resulting in the provision of the highest-quality patient care
300 possible.
- 301 7. Following recognized infection control practices to provide a safe and sanitary
302 working environment for patients and the general public.
- 303 8. Recognizing and responding to an emergency situation at a level commensurate
304 with one's training and competency, including cardiopulmonary resuscitation
305 (CPR); the use of automatic external defibrillators (AED), if applicable; advanced
306 cardiac life support (ACLS); and advanced pediatric life support (PALS).
- 307 9. Recognizing, responding to, reporting, and documenting adverse events.
- 308
- 309 C. A nuclear medicine technologist performs administrative procedures by:
- 310 1. Maintaining an adequate volume of medical/surgical supplies, imaging
311 medications, adjunctive medications, radiopharmaceuticals, storage media, and
312 other items required to perform procedures in a timely manner.
- 313 2. Scheduling patient procedures appropriate to the indication and in the proper
314 sequence.
- 315 3. Maintaining appropriate records of administered radioactivity, quality control
316 procedures, patient reports, and other required records applying state and federal
317 guidelines and institutional policies.
- 318 4. Developing and revising, when necessary, policies and procedures in accordance
319 with applicable regulations.
- 320 5. Actively participating in total quality management/continuous quality
321 improvement programs (i.e., age-specific competencies, patient education, and
322 patient restraint and immobilization).
- 323 6. Complying with licensing standards and institutional policies. The nuclear
324 medicine technologist involved with research must also follow Institutional
325 Research Board protocols, comply with Institutional Animal Care and Use
326 Committee, and Food and Drug Administration standards.
- 327

328 II. Instrumentation/Quality Control

- 329 A. A nuclear medicine technologist evaluates equipment performance, initiates corrective
330 action when necessary, and maintains required records for the quality control program
331 of gamma camera imaging systems, PET systems, hybrid imaging systems, CT,
332 and/or MR in accordance with federal and state regulations and institutional policy.
333 Responsibilities include but are not limited to:
- 334 1. Identifying system-specific quality control requirements by following
335 recommended initial acceptance quality control procedures and daily, weekly,
336 monthly, quarterly, and annual quality control procedures to evaluate allowable
337 parameter ranges for uniformity, photon detection/discrimination, spatial
338 resolution, scatter correction, count loss, measurement of random interactions,
339 sensitivity, dead-time loss, and random count correction accuracy as
340 recommended by the manufacturer, and required by institutional and accreditation
341 policies.

- 342 2. Recognizing image artifacts requiring imaging system correction and performing
343 corrections and quality assurance as directed by institutional and camera
344 manufacturer recommendations.
- 345 3. Performing and evaluating sinogram acquisition or other routine quality control
346 procedures per manufacturer recommendations to evaluate detector integrity.
- 347 4. Performing imaging system quality assurance based on camera manufacturer
348 recommendations as well as accrediting agencies, including but not limited to:
- 349 a. Obtaining uniformity images on imaging detectors.
- 350 i. Selecting a radionuclide source of appropriate type, size, quantity,
351 and energy.
- 352 ii. Selecting an appropriate pulse height analyzer (PHA), photopeak,
353 and window.
- 354 iii. Obtaining uniformity images using standardized imaging
355 parameters.
- 356 iv. Evaluating the images qualitatively and/or quantitatively in
357 comparison to the manufacturer's specifications and the
358 performance requirements based on the studies for which the unit
359 is used.
- 360 v. Identifying the source of any significant nonuniformity (e.g.,
361 checking collimator and PHA peak setting).
- 362 vi. Initiating corrective action when necessary based on
363 recommendations by the physicist, service engineer, and/or camera
364 manufacturer.
- 365 b. Performing a detector linearity evaluation on imaging detectors.
- 366 i. Selecting a radionuclide, selecting a linearity phantom, and
367 obtaining images.
- 368 ii. Identifying any nonlinear distortion in the image.
- 369 iii. Determining the source of nonlinearity (e.g., detector-source
370 geometry).
- 371 iv. Initiating corrective action when necessary based on
372 recommendations by the physicist, service engineer, and/or camera
373 manufacturer.
- 374 c. Performing spatial resolution checks on imaging detectors.
- 375 i. Selecting an appropriate radionuclide.
- 376 ii. Choosing a phantom that is compatible with the specified
377 resolution of the camera.
- 378 iii. Analyzing the resulting images for degradation of resolution and
379 determining the causes.
- 380 iv. Initiating corrective action when necessary based on
381 recommendations by the physicist, service engineer, and/or camera
382 manufacturer.
- 383 d. Conducting sensitivity checks on imaging detectors yearly in conjunction
384 with a physicist.
- 385 i. Selecting a source with an appropriate level of activity and half-
386 life.

- 387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
- ii. Ensuring identical geometry, source placement, and measurement parameters for repetitive checks.
 - iii. Evaluating results.
 - iv. Initiating corrective action when necessary based on recommendations by the physicist, service engineer, and/or camera manufacturer.
 - e. Performing single-photon emission computed tomography (SPECT) quality control procedures based on camera manufacturer recommendations, including but not limited to:
 - i. Obtaining a high-count uniformity calibration flood.
 - ii. Obtaining a center-of-rotation calibration to ensure detector alignment.
 - iii. Evaluating reconstruction results of an acquired cylindrical SPECT phantom with contrast and spatial resolution inserts:
 - a. Detector quality control may include but is not limited to the evaluation of system uniformity, detector, sensitivity, linearity and spatial resolution.
 - b. Record and evaluate results according to manufacturer guidelines' institutional and accreditation policy.
 - c. Initiating corrective action when necessary based on recommendations by the physicist, service engineer, and/or camera manufacturer.
 - f. Performing CT system quality assurance based on camera manufacturer recommendations, including but not limited to:
 - i. Daily: Follow camera manufacturers' described warm-up procedure and automatic monitoring, at various tube voltage (kVp) or current (mAs) settings, of the tube output and detector response.
 - ii. Follow camera manufacturers' recommendations: Perform a phantom evaluation to determine tomographic uniformity accuracy of the CT number for water, image noise, and slice thickness.
 - iii. Initiating corrective action when necessary based on recommendations by the physicist, service engineer, and/or camera manufacturer.
 - g. Performing PET or PET/CT system quality assurance based on camera manufacturer recommendations, including but not limited to:
 - i. Acquiring consistent 2D and/or 3D PET images, using appropriate reconstruction techniques, to display sinogram images for QC interpretation.
 - ii. Working in conjunction with medical director or medical physicists verifying CT/AC protocols, including mAs, kVp, pitch, and helical scanning.
 - iii. Initiating corrective action when necessary based on recommendations by the physicist, service engineer, and/or camera manufacturer.

- 431 5. Performing radionuclide generator quality assurance, daily and before the use of
432 the generator, to include dose calibrator/generator calibration and parent/daughter
433 breakthrough.
434 6. Performing infusion device quality control per manufacturer recommendations.
435 7. Operating imaging systems, storage media, and radiation detection and counting
436 devices, including but not limited to imaging detectors, dose calibrators, survey
437 instruments, scintillation probes, well counters, and data processing and image
438 production devices:
439 a. Maintaining and operating auxiliary equipment used in procedures.
440 b. Actively participating in total quality management/continuous quality
441 improvement programs by:
442 i. Identifying indicators to be analyzed.
443 ii. Gathering and presenting data in appropriate formats, analyzing
444 data, and recommending changes.
445 8. Operating scintillation probes, well counters, and other laboratory equipment:
446 a. Calibrating a spectrometer with a long-half-life radionuclide source.
447 b. Determining energy resolution.
448 c. Conducting sensitivity and constancy measurements at appropriate
449 energies with a standard, long-lived source such as Cs-137 or I-129.
450 d. Checking background and determining the cause for levels greater than
451 established normal levels.
452 e. Conducting a chi-square test.
453 f. Maintaining required records for quality control programs in accordance
454 with federal and state regulations and institutional policies.
455 g. Performing glucometer quality assurance using high and low standards.
456 9. Operating survey meters:
457 a. Ensuring that calibration has been completed within the last 12 months.
458 b. Performing a battery check to verify the meter is operational.
459 c. Performing a check-source test and comparing with previous results.
460 d. Maintaining required records for the quality control program.
461 10. Operating dose calibrator:
462 a. Verifying constancy every day that isotopes are administered to patients,
463 including weekends and on-call hours, and checking channels of the
464 isotopes used that day using a check source with a long half-life.
465 b. Verifying linearity quarterly over the entire range of radionuclide activity
466 to be administered to patients, comparing calculated activities to measured
467 activities, and determining correction factors when necessary.
468 c. Determining accuracy annually by comparing a set of known activities to
469 measured activities using isotopes of varying energy emissions such as
470 Co-57, Ba-133, and Cs-137.
471 d. Upon installation, testing for significant geometric variation in activity
472 measured as a function of sample volume or configuration and
473 determining correction factors when necessary.
474 e. Maintaining required records for the quality control program in
475 accordance with federal and state regulations and institutional policies.

- 476 11. Operating image processors/computer monitors:
477 a. Verifying the calibration of the instrument.
478 b. Maintaining required records for the quality control program.
479

480 **III. Diagnostic Procedures**

- 481 A. A nuclear medicine technologist performs imaging procedures by:
482 1. Determining appropriate imaging parameters.
483 a. Preparing (see Section V.C.), evaluating, and properly administering the
484 prescribed amount of various radiopharmaceuticals, adjunctive
485 medications, and/or imaging medications.
486 b. Selecting the appropriate imaging or data collection parameters.
487 2. Administering radiopharmaceuticals, adjunctive medications, and/or imaging
488 medications through various routes after appropriate access has been verified and
489 obtained in accordance with established protocols and verifying that the
490 radiopharmaceutical meets quality specifications prior to administration (i.e.,
491 expiry time, pH, half-life, etc.).
492 3. Administering radiopharmaceuticals, adjunctive medications, and imaging
493 medications:
494 a. Verifying patient ID according to institutional policy.
495 b. Determining route of administration according to established protocol.
496 c. Establishing and/or verifying venipuncture access using aseptic technique.
497 d. Using and maintaining established venous access routes (e.g., heparin
498 infusion or infusion pump).
499 e. Reconciling patient medications according to institutional policy to ensure
500 that the patient's current medications will not interact with the
501 radiopharmaceutical, adjunctive medications, and imaging medications
502 used for the ordered exam.
503 f. Preparing (see Section IV.C.) and administering adjunctive medications
504 and imaging medications per the appropriate route.
505 g. Documenting medications and/or radiopharmaceutical administrations in
506 the patient medical record in accordance with federal and state regulations
507 and institutional policies.
508 h. Observing the patient carefully after any administration for side effects,
509 and handling such side effects appropriately as described in established
510 policies or as directed by medical staff.
511 4. Positioning the patient and obtaining images:
512 a. Verifying energy peak on NM cameras.
513 b. Waiting an appropriate time following the administration of a
514 radiopharmaceutical, adjunctive medication, or imaging medication to
515 begin the imaging procedure protocol, and acquiring additional views as
516 necessary to optimize information content.
517 c. Exercising professional judgment in positioning a patient to best
518 demonstrate pathology and to adapt to the patient's limitations.
519 d. Positioning the patient using supportive materials and immobilizers, as
520 necessary.

- 521 e. Indicating appropriate anatomic landmarks for each view of the procedure.
 522 f. Reviewing images to ensure that the required information has been
 523 acquired and that the images have been processed properly and are of the
 524 highest quality.
- 525 5. Assisting in exercise and pharmacologic cardiac testing procedures:
 526 a. Preparing patients to include the correct placement of ECG electrodes.
 527 b. Determining if the appropriate test has been ordered based on the ECG
 528 rhythm, medical history, and current medications.
 529 c. Recognizing and responding to ECG changes.
 530 d. Recognizing the parameters that indicate termination of a cardiac stress
 531 study.
 532 e. Recognizing ECG patterns that are appropriate for image gating.
- 533 6. Performing data collection, processing, and analysis:
 534 a. Performing data collection, processing, and analysis in accordance with
 535 institutional protocols.
 536 b. Exercising independent judgment in selecting appropriate images for
 537 processing.
 538 c. Obtaining quantitative measurements such as SUV, coronary flow reserve,
 539 kinetic modeling, regional brain analysis, biliary and cardiac ejection
 540 fractions, and renal function, as appropriate for the procedure performed.
 541 d. Defining regions of interest (ROIs) with reproducible results and correctly
 542 applying background subtraction.
 543 e. Performing computer data manipulations as required.
 544 f. Labeling processed images (e.g., anatomical positioning, ROIs, date, and
 545 time).
 546 g. Archiving and retrieving data from storage media.
- 547
- 548 B. A nuclear medicine technologist may perform non-imaging in vitro and/or radioassay
 549 studies by:
- 550 1. Operating laboratory equipment, including well counters, probes, and other
 551 detection devices to measure the biodistribution of radiopharmaceuticals.
- 552 2. Preparing doses:
 553 a. Quantitating doses.
 554 i. Calculating and confirming the activity to be used.
 555 ii. Calculating the volume necessary to deliver activity for the
 556 prescribed dose.
 557 b. Preparing standard solutions or dosage for phantom use as needed using
 558 appropriate volumetric or gravimetric techniques to dilute the standard per
 559 institutional protocol.
- 560 3. Collecting appropriate biological specimens for procedures using standard
 561 precaution techniques as required by protocol:
 562 a. Collecting blood samples:
 563 i. Selecting proper supplies (e.g., needles, syringes, evacuated tubes,
 564 or anticoagulants).

- 565 ii. Identifying the patient and labeling patient demographics on
566 collection containers.
- 567 iii. Performing venipuncture at appropriate intervals using aseptic
568 technique.
- 569 iv. Adding hemolyzing compounds or anticoagulants to samples
570 according to protocol.
- 571 v. Centrifuging blood and separating blood components, according to
572 protocol.
- 573 vi. Storing aliquots of serum, plasma, or whole blood according to
574 protocol.
- 575 b. Collecting urine samples by:
- 576 i. Instructing the patient and/or nursing staff regarding the correct
577 method and time of urine collection.
- 578 ii. Aliquoting the urine sample and measuring total urine volume.
- 579 iii. Measuring the specific gravity of urine, if required.
- 580 iv. Recognizing and documenting all technical circumstances that
581 would produce invalid results.
- 582 4. Gathering, validating, and documenting data:
- 583 a. Subtracting room background or patient background from appropriate
584 samples.
- 585 b. Applying appropriate formulas, including conversion and dilution factors.
- 586 c. Calculating results according to the procedure used.
- 587 d. Plotting a graph, if necessary, and determining half time by extrapolating
588 to zero time.
- 589 e. Reporting both calculated values for a patient and normal range of specific
590 procedures used.
- 591 f. Evaluating results for potential error.
- 592 5. Managing biohazardous, chemical, and radioactive waste in accordance with
593 applicable state and federal regulations and institutional policy.
- 594

595 **IV. Adjunctive Medications**

596 A nuclear medicine technologist displays:

- 597 A. A thorough understanding and knowledge of indications, contraindications, warnings,
598 precautions, proper use, drug interactions, and adverse reactions for each adjunct
599 medication to be used.
- 600
- 601 B. The ability to procure and maintain adjunctive medications and supplies by:
- 602 1. Anticipating and procuring a sufficient supply of medications for an appropriate
603 period in accordance with anticipated need.
- 604 2. Storing medications and supplies in a manner consistent with labeled product
605 safeguards and established institutional policies.
- 606 3. Identifying and disposing of expired medications.
- 607

- 608 C. The ability to properly prepare and administer adjunctive medications under the
609 direction of an authorized user in accordance with all federal and state regulations and
610 institutional policies by:
- 611 1. Employing aseptic technique for manipulation of sterile products and
612 preparations.
 - 613 2. Selecting and preparing adjunctive medications in accordance with the
614 manufacturer's specifications and institutional policy.
 - 615 3. Confirming the quality of an adjunctive medication in accordance with accepted
616 techniques and official standards.
 - 617 4. Documenting the administered dose, date, and time of all adjunctive medications
618 in a permanent medical record.
 - 619 5. Observing the patient for possible complications (e.g., adverse reactions) of
620 adjunctive medication administration, and handling such complications
621 appropriately in conjunction with other available staff.
622

623 **V. Imaging Medications**

624 A nuclear medicine technologist displays:

- 625 A. A thorough understanding and knowledge of indications, contraindications, warnings,
626 precautions, proper use, drug interactions, and adverse reactions for each imaging
627 medication to be used.
628

629 B. The ability to procure and maintain imaging medications and supplies by:

- 630 1. Anticipating and procuring a sufficient supply of medications for an appropriate
631 period in accordance with anticipated need.
- 632 2. Storing medications and supplies in a manner consistent with labeled product
633 safeguards and established institutional policies.
- 634 3. Identifying and disposing of expired medications.
635

636 C. The ability to properly prepare and administer imaging medications under the
637 direction of an authorized user in accordance with all federal and state regulations and
638 institutional policies by:

- 639 1. Employing aseptic technique for manipulation of sterile products and
640 preparations.
- 641 2. Selecting and preparing imaging medications in accordance with the
642 manufacturer's specifications and institutional policy.
- 643 3. Confirming the quality of an imaging medication in accordance with accepted
644 techniques and official standards.
- 645 4. Documenting the administered dose, date, and time of all imaging medications in
646 a permanent medical record.
- 647 5. Observing the patient for possible complications (e.g., adverse reactions) of
648 imaging medication administration, and handling such complications
649 appropriately in conjunction with other available staff.
650

651 **VI. Radiopharmaceuticals**

652 A. A nuclear medicine technologist displays a:

- 653 1. Thorough knowledge of indications, contraindications, warnings, precautions,
654 proper use, drug interactions, and adverse reactions for each radiopharmaceutical
655 to be used.
- 656 2. Thorough knowledge of molecular-level physiological functions that relate to, but
657 not limited to, glucose metabolism, blood flow, brain oxygen utilization,
658 perfusion, and receptor–ligand binding rates.
- 659 3. Thorough knowledge of the physiological processes that relate to organ system
660 function and anatomy and radiopharmaceutical demonstration of normal and
661 pathologic states.
- 662
- 663 B. A nuclear medicine technologist maintains radiopharmaceutical products by:
- 664 1. Anticipating and procuring a sufficient supply of radiopharmaceuticals for an
665 appropriate period in accordance with anticipated need and license possession
666 limits.
- 667 2. Maintaining security while storing radiopharmaceuticals in a manner consistent
668 with the manufacturer’s labeled product safeguards, radiation safety
669 considerations, and established institutional policies.
- 670 3. Performing and documenting radiation survey and wipe tests upon receipt of
671 radioactive materials in accordance with federal and state regulations and
672 institutional policies.
- 673 4. Recording receipt of radioactive materials in a permanent record in accordance
674 with federal and state regulations and institutional policies.
- 675 5. Following Department of Transportation (DOT) regulations and radiation safety
676 guidelines in the transport, receipt, and shipment of radioactivity in accordance
677 with federal and state regulations and institutional policies.
- 678
- 679 C. A nuclear medicine technologist properly prepares and administers
680 radiopharmaceuticals under the direction of an authorized user in accordance with all
681 federal and state regulations and institutional policies by:
- 682 1. Preparing all sterile radiopharmaceuticals in appropriate environments in
683 compliance with USP<797> standards.
- 684 2. Following appropriate personnel cleansing and garbing protocols when entering
685 “clean” areas in accordance with USP<797> standards.
- 686 3. Employing aseptic technique, consistent with USP <797> standards, when mixing
687 and manipulating sterile products.
- 688 4. Following appropriate USP<797> standards for beyond-use date (time-of-use)
689 and vial puncture standards.
- 690 5. Assembling and maintaining radionuclide generators.
- 691 6. Eluting radionuclide generators according to the manufacturer’s specification in a
692 “clean” environment that complies with USP<797> standards.
- 693 7. Verifying the radionuclidic purity of generator eluates.
- 694 8. Selecting and preparing radiopharmaceuticals in accordance with the
695 manufacturer’s specifications.
- 696 9. Measuring the radioactivity of the radiopharmaceutical using a dose calibrator.

- 697 10. Confirming the quality of a radiopharmaceutical in accordance with accepted
698 techniques and official standards (e.g., radiochemical purity and physical
699 appearance).
700 11. Handling and preparing blood or blood products for labeling and/or labeled blood
701 cells in accordance with established regulations and protocols and in an
702 environment in compliance with USP<797> standards, and ensuring that when
703 blood products are handled and compounded they are separated from other
704 radiopharmaceuticals.
705 12. Recording use and/or disposition of all radioactive materials in a permanent
706 record:
707 a. Properly storing radiopharmaceutical kits, and radiopharmaceuticals as
708 stated in USP<797> standards.
709 b. Recording results of radionuclide generator eluates' quality assurance tests
710 to include dose calibrator/generator calibration and radionuclidic purity of
711 eluates.
712
713 D. A nuclear medicine technologist is responsible for the identification and labeling of all
714 radiopharmaceutical preparations by:
715 1. Labeling vials and syringes in accordance with federal and state regulations and
716 institutional policies.
717 2. Recording radiopharmaceutical and medication information on a patient's
718 administration form and permanent preparation records in accordance with federal
719 and state regulations and institutional policies.
720 3. Labeling and segregating radioactive waste and recording the information in a
721 permanent record in accordance with federal and state regulations and
722 institutional policies.
723
724 E. A nuclear medicine technologist prepares individual dosages under the direction of an
725 authorized user by:
726 1. Applying radioactive decay calculations to determine the required volume or unit
727 form necessary to deliver the prescribed radioactive dose.
728 2. Selecting and preparing prescribed dosages and entering the information on a
729 patient's administration form and other permanent records.
730 3. Appropriately labeling the dose for administration.
731 4. Checking the dose activity prior to administration in a dose calibrator and
732 comparing this measurement against the shipment documentation.
733 5. Recording use and/or disposition of radioactive materials in a permanent record
734 by properly storing radiopharmaceuticals as stated in federal and state regulations
735 and institutional policies.
736
737 **VII. Radionuclide Therapy**
738 A. A nuclear medicine technologist properly prepares and/or administers therapeutic
739 radiopharmaceuticals by oral and/or intravenous routes when these agents are part of a
740 standard procedure that is required for treatment under the direction of an authorized
741 user in accordance with federal, state, and institutional policies by:

- 742 1. Ensuring that the correct radiopharmaceutical and dosage is prepared.
 743 2. Following the quality management program in effect at the facility in regard to
 744 patient identification and verification and the use of therapeutic
 745 radiopharmaceuticals.
 746 3. Observing prescribed radiation safety and USP procedures during the preparation
 747 and administration of such treatment.
 748 4. Assisting the authorized user in supplying proper patient care instructions to
 749 hospital staff, patient, and/or caregivers.
 750 5. Conducting and documenting radiation surveys of designated patient areas, when
 751 indicated.
 752 6. Instructing the patient, family, and staff in radiation safety precautions after the
 753 administration of therapeutic radiopharmaceuticals.
 754 7. Coordinating/scheduling pre-/post treatment blood draws and/or imaging.
 755 8. Maintaining all appropriate records.
 756

757 **VIII. Radiation Safety**

- 758 A. A nuclear medicine technologist performs all procedures utilizing ionizing radiation
 759 safely and effectively in accordance with federal and state regulations and institutional
 760 policies including, but not limited to:
 761 1. Maintaining security of radioactive materials.
 762 2. Notifying the appropriate authority when changes occur in the radiation safety
 763 program.
 764 3. Assisting in the preparation of license amendments when necessary.
 765 4. Keeping up to date on regulatory changes and complying with all applicable
 766 regulations.
 767 5. Maintaining required records.
 768 6. Posting appropriate radiation signage in designated areas.
 769 7. Following federal and state regulations regarding receipt, storage, disposal, and
 770 usage of all radioactive materials.
 771 8. Recommending the purchase of radiation protection equipment to meet federal
 772 and state regulations and institutional policies.
 773 9. Packaging and monitoring radioactive material for transport according to federal
 774 and state regulations, and keeping accurate records of transfer.
 775
 776 B. A nuclear medicine technologist follows appropriate radiation protection procedures
 777 by:
 778 1. Using personnel monitoring devices (film badges, optically stimulated
 779 luminescence [OSL] thermoluminescent dosimeters, etc.).
 780 a. Reviewing personnel exposure records in regard to maximum permissible
 781 dose limits.
 782 b. Taking appropriate measures to reduce exposure.
 783 c. Notifying proper authorities of excessive exposure upon
 784 discovery/occurrence.
 785 2. Selecting and using proper syringe shields and other shielding configurations to
 786 reduce radiation exposure to patients, personnel, and the general public.

- 787 3. Using proper shielding and disposal procedures in compliance with federal and
788 state regulations to maximize patient, technologist, and public protection.
789 4. Working in a safe but timely manner in order to decrease radiation exposure in
790 consideration of ALARA guidelines.
791 5. Reviewing personnel monitoring device readings to determine if radiation
792 exposure can be further reduced.
793 6. Working in a manner that minimizes potential contamination of patients,
794 technologists, the public, and work areas.
795
- 796 C. A nuclear medicine technologist monitors for radioactive contamination by:
797 1. Ensuring that instruments are calibrated at regular intervals or after repairs,
798 according to federal and state regulations.
799 2. Setting the frequency and locations for surveys and following schedules.
800 3. Using appropriate survey meters for each type and level of activity.
801 4. Following federal and state regulations regarding personnel surveys and reporting
802 to the designated authorized user or radiation safety officer.
803 5. Performing constancy checks on survey meters.
804 6. Performing wipe tests where applicable.
805 7. Performing leak tests on sealed sources, when so authorized.
806 8. Recording data in the required format (e.g., dpm instead of cpm).
807 9. Evaluating the results of wipe tests and area surveys to determine if action is
808 required.
809 10. Notifying the radiation safety officer when actions are required by federal and
810 state regulations and institutional policies.
811
- 812 D. A nuclear medicine technologist performs decontamination procedures in accordance
813 with federal and state regulations and institutional policies by:
814 1. Wearing personal protective equipment as necessary.
815 2. Restricting access to the affected area and confining a spill.
816 3. Removing contamination and monitoring the area and personnel, and repeating
817 the decontamination procedure until activity levels are acceptable.
818 4. Closing off all areas of fixed contamination that are above acceptable levels,
819 shielding the area, and posting appropriate signs.
820 5. Identifying, storing, or disposing of contaminated material in accordance with
821 federal and state regulations and institutional policies.
822 6. Maintaining appropriate decontamination records.
823 7. Notifying the appropriate authority (e.g., radiation safety officer) in the event of
824 possible overexposure or other violations of federal and state regulations and
825 institutional policies.
826
- 827 E. A nuclear medicine technologist disposes of radioactive waste in accordance with
828 federal and state regulations and institutional policies by:
829 1. Maintaining appropriate records.
830 2. Disposing according to license specifications.
831 3. Maintaining long- and short-term storage areas.

- 832 4. Maintaining current Hazmat training records. (Texas)
833
834 F. A nuclear medicine technologist participates in programs designed to instruct other
835 personnel about radiation hazards and principles of radiation safety by:
836 1. Using the following teaching concepts:
837 a. Types of ionizing radiation.
838 b. Biological effects of ionizing radiation.
839 c. Limits of dose, exposure, and radiation effect.
840 d. Concepts of low-level radiation and health.
841 e. Concept of risk versus benefit.
842 f. ALARA
843 2. Providing appropriate radiation safety measure instructions.
844 3. Providing proper emergency procedures instruction.
845 4. Modeling proper radiation safety techniques and shielding in the course of daily
846 duties.
847
848 G. A nuclear medicine technologist assists in performing radiation safety procedures
849 associated with radionuclide therapy according to federal and state regulations and
850 institutional policies by:
851 1. Following the guidelines for administration of therapeutic radiopharmaceuticals
852 and the release of patients administered therapeutic radiopharmaceuticals.
853 2. Following the guidelines for the release of patients administered radioactive
854 materials.
855 3. Following the proper procedures for patients requiring hospitalization after
856 administration of therapeutic radiopharmaceuticals.
857 4. Providing appropriate instruction on radiation safety procedures for patients, care
858 givers, and staff.
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876

References

877
878
879 Accreditation Standards for Nuclear Medicine Technologist Education. 2011.
880 [://www.jrcnmt.org/essentials.asp](http://www.jrcnmt.org/essentials.asp).
881
882 American College of Radiology. Technical Guidelines for Nuclear Medicine and
883 Radiopharmaceuticals. 2006. [://www.acr.org/SecondaryMainMenuCategories/quality_safety/
884 guidelines/tech-standardsnm.aspx](http://www.acr.org/SecondaryMainMenuCategories/quality_safety/guidelines/tech-standardsnm.aspx).
885
886 American Registry of Radiologic Technologists. Content Specifications.
887 [://www.arrt.org/examinations/contentspecs/NMT_CS_2011.pdf](http://www.arrt.org/examinations/contentspecs/NMT_CS_2011.pdf)
888
889 American Registry of Radiologic Technologists. Task Inventory for Nuclear Medicine
890 Technologist. [://www.arrt.org/pdfs/Examinations/NMT-Task-Inventory.pdf](http://www.arrt.org/pdfs/Examinations/NMT-Task-Inventory.pdf). Published July
891 2010. Last accessed January 19, 2012.
892
893 American Society of Radiologic Technologists. Nuclear Medicine Practice Standards. 2010
894 [://www.asrt.org/media/pdf/practicestds/GR10_OPI_Strds_NM_PS.pdf](http://www.asrt.org/media/pdf/practicestds/GR10_OPI_Strds_NM_PS.pdf)
895
896 American Society of Radiologic Technologists. Nuclear Medicine Practice Standards.
897 [://www.asrt.org/media/pdf/standards_nm.pdf](http://www.asrt.org/media/pdf/standards_nm.pdf). Last accessed January 19, 2012.
898
899 Blondeau K, Harten S, Pickett M, Bridges J. Critical Task Analysis Report. Tucker, Georgia:
900 Nuclear Medicine Technology Certification Board; 2000.
901
902 Bureau of Labor Statistics. Occupational Outlook Handbook, 2010-11 Edition. Nuclear Medicine
903 Technologists. [://www.bls.gov/oco/ocos104.htm](http://www.bls.gov/oco/ocos104.htm)
904
905 Glossary of Molecular Imaging Terms. [://interactive.snm.org/index.cfm?PageID=11120](http://interactive.snm.org/index.cfm?PageID=11120)
906
907 Joint Review Committee on Educational Programs in Nuclear Medicine Technology.
908 Accreditation Standards for Nuclear Medicine Technologist Education.
909 [://jrcnmt.org/sites/jrcnmt/uploads/documents/Accred_Policy_Documents/Standards10_2011.pd
910 f](http://jrcnmt.org/sites/jrcnmt/uploads/documents/Accred_Policy_Documents/Standards10_2011.pdf). Published 2010. Updated May 2011. Last accessed January 19, 2012.
911
912 Nuclear Medicine Technology Certification Board. Components of Preparedness. Nuclear
913 Medicine Exam: Components of Preparedness. [://www.nmtcb.org/exam/cops.php](http://www.nmtcb.org/exam/cops.php). Updated
914 2009. Last accessed January 19, 2012.
915
916 Nuclear Medicine Technology Certification Board (NMTCB) Report: Equipment and Procedures
917 in Current Practice (2002).
918
919 Performance and Responsibility Guidelines for the Nuclear Medicine Technologist, Socio-
920 Economic Affairs Committee, SNMTS (September 1994).
921

- 922 Performance and Responsibility Guidelines for the Nuclear Medicine Technologist, Socio-
923 Economic Affairs Committee, SNMTS (September 1998).
924
925 SNMTS Socioeconomic Affairs Committee. Performance and Responsibility Guidelines for the
926 Nuclear Medicine Technologist. *J Nucl Med Technol.* 2003;31:222–229.
927
928 SNMTS Scope of Practice Task Force. Nuclear Medicine Technologist Scope of Practice
929 (September 2008).
930
931 SNMTS Educators Task Force Curriculum Subcommittee. NMT Entry-Level Curriculum Guide,
932 4th Edition (August 2008).
933
934 SNMTS Position Paper. Baccalaureate Degree proposed as entry level educational requirements.
935 2005. [://interactive.snm.org/index.cfm?PageID=4715](http://interactive.snm.org/index.cfm?PageID=4715)